


- Replacement for 60W PAR16 halogen lamp
- Up to 87% energy saving
- Lifetime of 35,000 hrs
- Suitable replacement for halogen or incandescent spots. Perfectly highlights the corridors, stairwells, bathroom etc at home and in hospitality areas.



| | |
|--------------------------------|---------|
| Order Code | 52234 |
| General Data | |
| Lamp Socket | GU10 |
| Design | Lens |
| Geometric Data | |
| Length (mm) | 56.6 |
| Diameter (mm) | 49.9 |
| Weight (g) | 65 |
| Electric Data | |
| Wattage (W) | 7.3 |
| Wattage Equivalent (W) | 60 |
| Voltage (V) | 220-240 |
| Power Factor | >0.40 |
| Operating Frequency (Hz) | 50-60 |
| Photometric Data | |
| Luminous Flux (lm) | 420 |
| Luminous Flux 90° (lm) | 390 |
| CRI | ≥ 80 |
| CCT (K) | 2700 |
| Luminous Intensity (cd) | 720 |
| Beam Angle (°) | 36 |
| Lifespan | |
| Lifetime (hrs) | 35,000 |
| Switching Cycle | 60,000 |
| Dimmability | Yes |
| Energy Efficiency Class | A |





Order Code

52234

Product Description

LED PAR16 GU10 7.3W 2700K WW 390LM 36DEG DIM
Diamond

Technical Packaging Details

| | |
|----------------------------|---------------------------------|
| Barcode | 023942522348 |
| EAN 128 | (02)00023942522348(37)10(91)162 |
| EAN 14 | 50023942522343 |
| Pack Dimensions (HxWxL) | 62 mm x 50 mm x 50 mm |
| Pack Weight | 81 |
| Carton Qty (Shipping Unit) | 10 |
| Carton Dimensions (HxWxL) | 58 mm x 135 mm x 287 mm |
| Cartons/Pallet | 256 |
| Layers/Pallet | 16 |
| Units/Pallet | 2560 |

Photometric Diagram

52234

